

**ILLINOIS DEPARTMENT OF PUBLIC HEALTH REPORTABLE DISEASES**  
**March 2008**

**Mandated reporters, such as health care providers, hospitals and laboratories, must report any suspected or confirmed case of these diseases to the local health authority within the number of days or hours indicated in parentheses. (\*HIV/AIDS is reportable directly to IDPH)**

Any suspected bioterrorist threat (immediately)	Measles (24h)
Any unusual case or cluster of cases that may indicate a public health hazard (immediately)	Mumps (24h)
AIDS* (7d)	<i>N. meningitidis</i> , invasive (24h)
Anthrax (immediately)	Ophthalmia neonatorum (gonococcal) (7d)
Arboviruses (including WNV) (7 d)	Pertussis or whooping cough (24h)
Botulism, foodborne (immediately)	Plague (immediately)
Botulism, infant, wound, other (24h)	Poliomyelitis (24h)
Brucellosis (7d, unless bioterrorism suspected, then immediately)	Psittacosis (7d)
Chancroid (7d)	Q fever (7d unless bioterrorism suspected then immediately)
Chickenpox (24h)	Rabies, human and potential human exposure (24h)
Chlamydia (7d)	Reye syndrome (7d)
Cholera (24h)	Rocky Mountain spotted fever (7d)
Creutzfeldt-Jakob Disease (7d)	Rubella (24h)
Cryptosporidiosis (7d)	Salmonellosis, other than typhoid (7d)
Cyclosporiasis (7d)	Severe Acute Respiratory Syndrome (SARS) (immediately)
Diphtheria (24h)	Shigellosis (7d)
Ehrlichiosis and Anaplasmosis (7d)	Smallpox (immediately)
Enteric E. coli infections (STEC, O157:H7, ETEC, EPEC, EIEC) (24h)	Smallpox vaccination, complications of (24h)
Foodborne or waterborne illness (24h)	<i>S. aureus</i> , Methicillin resistant (MRSA) clusters in a community setting or colonization/ infection in infants <61 days (24h)
Giardiasis (7d)	<i>S. aureus</i> infections with intermediate or high level resistance to vancomycin (24h)
Gonorrhea (7d)	Streptococcal infections, Group A, invasive and sequelae to Group A streptococcal infections (24h)
<i>Haemophilus influenzae</i> , invasive (24h)	<i>S. pneumoniae</i> , invasive in those <5 yrs (7d)
Hantavirus pulmonary syndrome (24h)	Syphilis (7d)
Hemolytic uremic syndrome, post diarrheal (24h)	Tetanus (7d)
Hepatitis A (24h), B (7d), C (7d), D (7d)	Toxic shock syndrome due to <i>S. aureus</i> (7d)
Histoplasmosis (7d)	Trichinosis (7d)
HIV infection* (7d)	Tuberculosis (7d)
Influenza, deaths in <18 yr olds (7d)	Tularemia (7d unless bioterrorism suspected then immediately)
Influenza A, novel virus (immediately)	Typhoid fever (24h)
Legionellosis (7d)	Typhus (24h)
Leprosy (7d)	Vibriosis (non cholera) (7d)
Leptospirosis (7d)	Yersiniosis (7d)
Listeriosis (7d)	
Lyme disease (7d)	
Malaria (7d)	